

Introducing IsoTek

IsoTek is an English company making award-winning power optimisation products for hi-fi and home cinema systems.

Our highly specialised mains conditioners actively clean the power obtained from your wall sockets before it reaches your hi-fi or audio visual system, and our range of power cables further enhance this improvement. Our solutions cover a wide range of systems, delivering significant upgrades in performance at competitive prices.

IsoTek products are enjoyed by more than 100,000 customers in over 45 countries, and have earned numerous accolades from specialist audio and AV publications worldwide.

We are recognised as the leader in clean-power technology, a fact reinforced by the highly respected consumer electronics brands that have used IsoTek in the development and demonstration of their products, including Arcam, Denon, Genesis Advanced Technologies, Marantz, Monitor Audio, Nordost, Onkyo, Pioneer, PMC, Primare, Roksan and TEAC Esoteric.

All IsoTek products are designed for purpose, manufactured in Europe and built to last.



Our History

IsoTek was born with a singular aim: to create a better solution to the problem of poor mains quality, which restricts the performance of audio systems, through rigorous research and genuine innovation.

Today, our products supply clean, fully optimised power to all manner of audio and AV equipment, from amps and source components to TVs and projectors, enhancing performance and protecting valuable equipment.

The company's founder and managing director is Keith Martin (pictured), a man whose vision has led to hundreds of awards from respected audio critics worldwide.



Keith Martin Founder & Managing Director

"IsoTek treats mains-related problems with a seriousness that has to be seen and heard to be believed"

HI-FI WORLD

"IsoTek is the leader in mains conditioning products"

HI-FI NEWS

"IsoTek is the UK's biggest name in mains filtration"

HI-FI CHOICE

"IsoTek gets (understands) power, so it's logical that IsoTek is the go-to company for power"

HI-FI+











Clean Power, Pure Sound...


The first input into any audio or AV system is electricity. It flows through the system, utilised by each component in turn to create the signal that eventually moves the speakers' drive units or delivers the pixels on-screen. What we see and hear is ultimately fashioned from, and by, mains electricity – it is the 'raw material' from which the 'art' is created.



The mains supply is distorted by numerous factors as it travels from power stations to be distributed throughout our homes, eroding the performance of high-quality audio and AV systems. As the electronic devices we use proliferate and the demand for electrical power intensifies, the quality of the electricity we feed our systems continues to slide.


The escalation of mains-borne 'noise' means that the need for IsoTek's clean-power technology has never been greater. 'Differential mode noise' is especially exacerbated by the switch-mode power supplies that are common in many modern devices, from computers to kitchen appliances. 'Common mode noise' is ever-increasing thanks to wireless networking in the home, with mobile phones, wi-fi and Bluetooth bathing us in a sea of airborne interference.

The quality of electricity we feed our audio and AV systems has a profound effect on performance, and that's where IsoTek's unique clean-power solutions come in. Without IsoTek, you are only accessing around 80 per cent of your system's full potential, at best.




DIFFERENTIAL MODE

Differential Mode mains noise is created by all electrical appliances – everything with a power supply, in fact. This includes your microwave oven, your television and your computer, as well as every hi-fi component you own.




off set Corrected mains sine wave



COMMON MODE

Common Mode mains noise is often referred to as RFI – transmitted frequencies that surround us but we cannot see. For example, imagine how much data is transmitted by smartphones and tablets; cheap power cables act as aerials for these unwanted frequencies.



Power surge and mains spike protection system

Mains sine wave off set (DC on the mains)

ı


The IsoTek Upgrade

Upgrading your system with IsoTek is quick and easy. Our product range is designed to deliver the perfect solution for every budget, organised into four distinct ranges to deliver a clear upgrade path – Discovery, Performance, Select and Ultimate.

The standard black mains leads supplied with your audio and AV components are designed to do a basic job, no more. They lack the quality of materials and construction needed to protect the integrity of the electricity they feed your system, thereby degrading performance. The first rung on the IsoTek ladder is to replace these leads with EVO3 Premier power cables from the Discovery Series – a simple upgrade that delivers great results.

As you move through the IsoTek range the performance level increases, with an array of mains cables and power optimisation devices to suit any audio or AV setup. Six-way power conditioners that improve the performance of every component in your system; premium cables and conditioners perfectly formed for current-hungry power amps; innovative mains sine wave generators impeccably tailored to suit source components and preamps; and lots more besides.

Practical solutions born from unique, proprietary technologies and uncompromised engineering – that's IsoTek.



Why Choose IsoTek

IsoTek's unique technologies enhance sound and picture quality by filtering mains electricity and regulating its distribution, delivering pure and stable power to audio and AV equipment.

Our products also deliver unrivalled protection from damage caused by lightening strikes and power surges, and extend the lifespan of valuable electronic components.

From the entry-level Discovery range to the groundbreaking Ultimate series, IsoTek creates award-winning products to suit every system and every pocket, all uniquely effective in removing both differential mode and common mode noise.

The improvements that IsoTek components bring to sound quality are immediate and profound. The noise floor drops and the sound gains greater focus, with reduced grain and improved clarity. Bass is tighter and better defined, treble gains more space and 'air', and the overall musical performance appears more solid and dynamic, and hence more 'real'. In AV systems, picture quality is similarly enhanced, with richer colours, improved depth and greater definition. Discover IsoTek and unleash your system's full potential.

"Not all mains conditioners are created equal... IsoTek has built itself a reputation as a purveyor of mains conditioners that actually improve (as opposed to just alter) the sound" HI-FI WORLD



EXCELLENCE



PLUS X AWARD leoTek INNOVATIVSTE MARKE DES JAHRES

2016 PLUS X Award MOST INNOVATIVE BRAND





2016/2017 PLUS X Award

Best Product, Innovation, High Quality, Design, Ease of Use & Functionality IsoTek EVO3 Mosaic Genesis





2016/2017 PLUS X Award

Best Product. Innovation. High Quality, Design & Functionality IsoTek EVO3 Venus





2016/2017 PLUS X Award

Best Product. Innovation. High Quality, Design & Functionality IsoTek EVO3 Syncro





2016/2017 PLUS X Award

Best Product, Innovation. High Quality & Functionality IsoTek EVO3 Sirius





2016/2017 PLUS X Award

Best Product, Innovation, High Quality & Functionality IsoTek EVO3 Sequel



2016 i-fidelitv.net Top Price Choice

IsoTek EVO3 Initium



IsoTek EVO3 Initium

Very Good



2016 Hi-Fi Choice 5-Star Winner

IsoTek EVO3 Initium



2016 Hi-Fi Choice

Recommended IsoTek EVO3 Initium



2016 i-fidelity.net

Editor's Choice Award IsoTek EVO3 Sigmas



2016 i-fidelitv.net

Outstanding IsoTek EVO3 Sigmas



2016 Lite Magazine

Recommended IsoTek EVO3 Initium



2016 Hi-Fi World 5 Globe Winner IsoTek EVO3 Initium



2016 Lite Magazine

Recommended IsoTek EVO3 Venus



2016 Hi-Fi Plus

Power Conditioner IsoTek EVO3 Mosaic Genesis



2016 Audio Accessory Magazine

Gold Grand Prix Award IsoTek EVO3 Aquarius



2015 Hi-Fi Magazine HK

Product of the Year IsoTek EVO3 Syncro



2015 Sempre Audio IsoTek EVO3 Aquarius



2015 Lite Magazine Recommended IsoTek EVO3 Sequel





2015/2016 PLUS X Award

Best Product, Innovation, High Quality, Design & Functionality IsoTek EVO3 Aquarius



2015 Rocky Mountain International Hi-Fi Press Awards Winner Power Conditioner Category

Nite 🚟 Referenz www.ite-magazin.de 2015 Lite Magazine

IsoTek EVO3 Syncro



2015 Hi-Fi Choice Recommended IsoTek EVO3 Sequel



2015 Hi-Fi Choice 5-Star Winner IsoTek EVO3 Sequel



2015 Hi-Fi Choice Recommended IsoTek EVO3 Sigmas



2015 Hi-Fi Choice 5-Star Winner IsoTek EVO3 Sigmas



IsoTek EVO3 Aquarius

2015 i-fidelity.net IsoTek EVO3 Aquarius



IsoTek EVO3 Aquarius

2014 Hi-Fi Magazine HK Product of the Year IsoTek EVO3 Mosaic Genesis

114年度最傑出的音響器材

2014



2014 Lite Magazine Recommended IsoTek EVO3 Polaris



2014 Lite Magazine Recommended IsoTek EVO3 Premier



2014 Lite Magazine Recommended IsoTek EVO3 Mini Mira



2014 Hi-Fi Choice

Recommended IsoTek EVO3 Optimum



2014 Hi-Fi World 5-Globe Winner IsoTek EVO3 Sigmas



2014 Hi-Fi Choice 5-Star Winner IsoTek EVO3 Optimum



2014 Hi-Fi World 5-Globe Winner IsoTek EVO3 Titan



2013 Hifi Pig Recommended IsoTek EVO3 Premier



Recommended IsoTek EVO3 Elite



2013 HIFICRITIC

Recommended IsoTek EVO3 Premier



2013 Hi-Fi World 5-Globe Winner IsoTek EVO3 Elite



2013 Hi-Fi Choice

5-Star Winner IsoTek EVO3 Premier



2013 Hi-Fi Choice

Recommended IsoTek EVO3 Premier



2013 Hi-Fi Choice

5-Star Winner IsoTek EVO3 Polaris



2013 Hi-Fi World 5-Globe Winner IsoTek EVO3 Genesis



2013 Hi-Fi Choice

5-Star Winner IsoTek EVO3 Premier



2013 Hi-Fi Choice

Recommended IsoTek EVO3 Premier



2013 Hi-Fi Voice

Product of the Year - 3rd Place IsoTek EVO3 Aquarius



2013 Tone Audio

Product of the Year IsoTek EVO3 Super Titan



2013 Hi-Fi Choice

Recommended IsoTek EVO3 Polaris



2013 Hi-Fi Voice

Product of the Year IsoTek EVO3 Genesis



2012 Hi-Fi News

Highly Commended IsoTek EVO3 Genesis



2012 Hi-Fi Choice

Recommended IsoTek Ultimate Set-up Disc



5-Globe Winner IsoTek EVO3 Solus



2012 Hi-Fi Voice

1st Place Winner - IsoTek Accessories Brand of the Year



2011 Hi-Fi Plus

Highly Commended IsoTek EVO3 Aquarius



00000

2011 Hi-Fi World

5-Globe Winner IsoTek EVO3 Super Titan



2011 Hi-Fi Choice

Recommended IsoTek EVO3 Solus



2011 Hi-Fi Voice

1st Place Winner IsoTek EVO3 Aquarius



2011 Hi-Fi World

5-Globe Winner IsoTek EVO3 Aquarius



2011 Hi-Fi+

Best of Best IsoTek EVO3 Aquarius



2010 Hi-Fi World 5-Globe Winner IsoTek EVO3 Aquarius



2010 Hi-Fi+

Highly Commended IsoTek EVO3 Aquarius



2010 What Hi-Fi?

Best Product Ultimate Guide to TV IsoTek GII Vision



2008 Hi-Fi Choice

Best Buy IsoTek EVO3 Sirius



2008 What Hi-Fi?

Best Cost-No-Option Ultimate Guide IsoTek GII Titan

WHAT HI-FI?

2008 What Hi-Fi?

Best Allrounder Ultimate Guide IsoTek GII Mini-Sub

2008 Hi-Fi World 5-Globe Winner IsoTek EVO3 Sirius



2008 Tech Radar IsoTek EVO3 Sirius

Is@Tek® | DISCOVERY

BEGIN YOUR JOURNEY

Discover IsoTek's award-winning range of power conditioning systems developed to improve, enhance and protect the sensitive audio components you own. Power is the first input to any home entertainment system; it flows through the system, used by each component in turn to create the signal that moves the speakers' drive units and delivers the pixels on the screen. What we see and hear is fashioned from, and by, mains electricity – it's the 'raw material' from which the 'art' is created

The Discovery range offers an affordable way to not only protect your investment from dangerous power surges and voltage spikes, but also to guarantee the best possible performance whenever you listen.
















Your chance to enter IsoTek's innovative and multi award-winning range of power conditioning solutions. Polaris is a cost effective upgrade to any audio or audio-visual system, delivering improved performance, protection and astonishing value for money.


- Removes Common Mode and Differential Mode mains noise.
- RFI reduction 30dB.
- Independent outlets stop Differential Mode cross contamination.
- Unique delta filter topology improves product performance.
- 13,500A of instantaneous protection, featuring IsoTek's unique sequential protection system.

- Internal wiring; multi-strand silver plated OFC copper with PTFE dielectric.
- Maximum continuous power 2,300W.
- Available in UK, EU, US, AU, CH and ZA sockets.

"More space, lower noise and greater resolution... An increase in timing precision, depth of bass and a much greater sense of musical flow. Highly recommended and particularly good value for money."

HI-FI CHOICE MAGAZINE





Corvus is an evolution of IsoTek's award winning Polaris design, reconfigured to feature 9 output sockets and increased wattage. It is a cost effective upgrade to any audio or audio-visual system, delivering improved performance, protection as well as being great value for money.

- Removes Common Mode and Differential Mode mains noise.
- RFI reduction 30dB.
- Independent outlets stop Differential Mode cross contamination.
- Unique delta filter topology improves product performance.
- 13,500A of instantaneous protection, featuring IsoTek's unique sequential protection system.

- Internal wiring; multi-strand silver plated OFC with PTFE dielectric.
- Maximum continuous power 3,680W.
- Available in UK, EU, US, AU, CH and ZA sockets
- Supplied with IsoTek EV03 Premier power cable.

"IsoTek's multi award winning Polaris has been expanded to give greater power with more clean power outlets. This new design also includes a simple wall mounting system. High quality power at an affordable price."













The award-winning Polaris circuit has been re-calibrated to offer a highly effective 'life style' solution. Venus is a cost effective way to provide clean power, mains spike and surge protection in a discrete form factor for small home cinema systems and compact audio replay.

- Removes Common Mode and Differential Mode mains noise.
- RFI reduction 30dB.
- Independent outlets stop Differential Mode cross contamination.
- Unique delta filter topology improves product performance.

- 13,500A of instantaneous protection, featuring IsoTek's unique sequential protection system.
- Internal wiring; multi-strand silver plated OFC copper with PTFE dielectric.
- Maximum continuous power 2,300W.
- Available in UK, EU, US, AU, CH and ZA sockets.

"This chic multiple socket outlet with its integrated filter network not only protects against surges, but frees the mains from noise."

LITE MAGAZINE, GERMANY







Designed specifically for audio-visual applications and utilizing the already highly praised Mira circuit, Mini Mira's unique 'Triple Resonance Filter®' improves performance and protection for CRT, LCD, LED and plasma screens, and is also fully compatible with projectors.

- Removes Common Mode and Differential Mode mains noise.
- RFI reduction 30dB audio, 40dB visual.
- Independently conditioned outlets stops
 Differential Mode cross contamination.
- Triple Resonance Filter[®] give ultimate visual performance as well as stopping 'in-rush' currents, which reduce a component's life span.

- 22,500A of instantaneous protection, featuring IsoTek's unique sequential protection system.
- Internal wiring; multi-strand silver plated OFC copper with PTFE dielectric.
- Maximum continuous power 2,300W.
- Available with UK, EU, US, AU, CH and ZA sockets.

"The Mira's effect was immediately noticeable on all displays... The IsoTek Mira should be auditioned by anyone interested in achieving the very best picture and sound quality."

AV REVIEW MAGAZINE





Deploy IsoPlug around your home to stop Differential Mode mains noise created by personal computers, fridge freezers, microwave ovens, in fact anything with a power supply. Simply plug into wall sockets next to these appliances for immediate effect.

- Removes Common Mode and Differential Mode mains noise.
- Shunts mains noise away from your sensitive audio components.
- Can be deployed next to devices that create mains noise.
- Useful and cost effective away to upgrade a standard mains distribution block.

- 27,000A of instantaneous protection.
- LED indicator light.
- Available in UK, EU, US and Australian versions.

"No Hi-Fi system should be without some kind of mains improver and this one's a gem."

HI-FI CHOICE MAGAZINE

EVO3 PROTEK



The ultimate audiophile protection device, ProTek uses multiple devices that have an approximation to a logarithmic curve of operation. Rather than creating an immediate on-off action, the device progressively dampens the surge, thereby preserving the dynamics within the music. However, if a massive surge occurs, it will offer instantaneous absorption of up to 1960 joules – the equivalent of 63,000A peak.

- Rugged design guarantees continual function compared to cheaper devices with one-off use.
- Can easily be deployed next to sensitive and critical electronics.
- 63,000A of instantaneous surge and spike production.
- Preserves dynamics within the music.

"ProTek is a progressive surge protector that offers instantaneous absorption of up to 1960 joules – the equivalent of a 63,000A peak."

IsoTek® | PERFORMANCE

MAXIMISE YOUR ENTERTAINMENT

Without mains power, no audio or audio-visual component can function. Your musical enjoyment is reduced by mains noise contamination – this can be from either Differential or Common Mode mains noise. Differential noise is created by the power supplies in all electronic devices, while Common Mode noise in introduced by RFI and the wireless communications that are becoming increasingly common.

With the Performance range you will hear significantly better sound quality, with more detail and greater dynamic range. All of your components will be improved and protected, allowing you to realise the best possible performance whenever you listen.







One of the most cost-effective upgrades you can buy for any high-quality audio system, Aquarius is a multi award-winning six-way mains conditioner that redefined the power cleaning market. Two high-current outlets are provided for amplifiers, subwoofers and so on, with four medium-current sockets for other components.

- Removes Common Mode and Differential Mode mains noise.
- RFI Reduction 60dB.
- Six unique conditioning stages ensure optimal isolation between all outlets, eliminating Differential Mode crosscontamination.
- KERP® (Kirchoff's Equal Resistance Path) ensures equal resistance and equal power delivery to all outlets. No outlet gets power before the next, a common problem with other power products which daisy chain outlets together.

- 67,500A of instantaneous protection, featuring IsoTek's unique sequential protection system.
- Internal wiring; solid core silver plated OFC copper with FEP and virtual air dielectric technology.
- Two high-current outlets delivering 3,680W continuous. Four medium-current outlets delivering 1,150W continuous.
- Available in UK, EU, US, AU, CH and ZA sockets.
- Supplied with IsoTek EV03 Premier power cable.

"The lift in performance is quite remarkable."

HI-FI CHOICE MAGAZINE

"An effective improvement to a good hi-fi system, this serious product justifies its price."

HI-FI WORLD MAGAZINE

"Very highly recommended."

HI-FI+ MAGAZINE

"The Aquarius is brilliant."

RECORD COLLECTOR MAGAZINE

EV03 SOLUS









IsoTek's most affordable rack-width component conditioner improves audio and audio-visual electronics whilst fitting neatly into a hi-fi rack. An award-winning, simple and effective way to upgrade the sound of your hi-fi.

- Removes Common Mode and Differential Mode mains noise.
- RFI reduction 45dB.
- Unique Individual Differential Gate[®] filter network improves the isolation between each of the six outlets, further eliminating cross contamination.
- KERP[®] (Kirchoff's Equal Resistance Path)
 ensures equal resistance and equal power
 delivery across all outlets. No outlet gets
 power before the next, a common problem
 with other power products which daisy
 chain outlets together.

- 22,500A of instantaneous protection, featuring IsoTek's unique sequential protection system.
- Internal wiring; multi-strand silver plated OFC copper with PTFE dielectric.
- Independent outlets no outlets are connected together, stopping Differential Mode cross-contamination.
- Maximum power, continuous 2,300W.
- Available in UK, EU, US, AU, CH and ZA sockets.

"Want clean mains to power your hi-fi? IsoTek's range of passive mains conditioners promises you all that and more. Try it in your own home to fully experience the benefits, once you've done so, we're convinced you'll be hooked."

HI-FI CHOICE MAGAZINE


















Sirius is a high-performance, multi-award-winning power bar, which protects and improves your precious audio components. A special wall bracket system allows Sirius to be mounted discretely behind your audio system.

- Removes Common Mode and Differential Mode mains noise.
- RFI reduction 40dB
- Independent outlets no outlets are connected together, stopping Differential Mode mains noise cross-contamination.
- Unique Inductive Resistance Gate[©] optimises the isolation between each of the six outlets
- KERP[©] (Kirchoff's Equal Resistance Path) ensures equal resistance and equal power delivery to all outlets. No outlet gets power before the next, a common

- problem with other power products which daisy chain outlets together.
- 22.500A of instantaneous protection. featuring IsoTek's unique sequential protection system.
- Internal wiring; multi-strand silver plated OFC copper with PTFE dielectric.
- Maximum power, continuous 2,300W.
- Available in UK, EU, US, AU, CH and ZA sockets

"A distinct lift in overall musical performance."

TECH RADAR

"Excellent value for money... A great real-world product that is useful and inexpensively upgrades your system."

HI-FI WORLD MAGAZINE

EVO3 SYNCRO (SPECIAL EDITION)









Syncro also incorporates unique DC-cancelling electronics that rebalance the mains sine wave to dramatically reduce/silence transformer hum. This sophisticated double shielded power cable also features ultra high purity silver plated OCC Copper conductors and Teflon FEP dielectric.

- Uniquely removes harmful DC by rebalancing the mains sine wave.
- Silver plated OCC (Ohno Continuous Cast) copper square strands form three 3sqmm conductors. These are set in a parallel construction with slight rotational twist.
- Mylar foil wrap and earthed OFC shield offer the maximum RFI rejection.
- Teflon FEP dielectric (insulation) offers chemically inert and very low dielectric constant over a wide frequency range.

- Cotton filler gives internal strength and reduces microphony.
- 12.5mm diameter PVC outer jacket gives a high degree of flexibility and mechanical strength.
- Terminated using IsoTek's Audiophile grade connectors of solid OFC with 24ct gold plated conductors.
- 16A rated and available in UK, EU, US, AU versions with C7, C15, C19 and Neutrik terminations.
- 2.25m overall length, custom cable lengths available

"A highly impressive piece of kit."

HI-FI WORLD MAGAZINE

"Syncro offers really serious improvements. It's really not a question of whether to purchase, but when."

HI-FI PIAC HUNGARY

Is@Tek® | SELECT

SEARCH FOR PERFECTION

Maintaining a healthy environment for your audio or AV system is essential. IsoTek's multi-award-winning Select range guarantees to provide your system with pure power, ensuring that you achieve the best possible audio quality whenever you listen.


Ownership of a Select product will maximise your musical enjoyment through innovative proprietary technologies, which have been independently acknowledged to be the finest money can buy and endorsed by numerous magazine reviews and awards not only in the UK but also throughout Europe, America and the Far East.











The new EVO3 Titan is a progression of IsoTek's original multi-award winning design. Whilst utilising the unique Direct-Coupled® technology, the circuit has been radically updated. EVO3 Titan offers the ultimate high current/power conditioner in the smallest form factor.

- Removes both Common Mode and Differential Mode mains noise.
- RFI reduction 82dB (50 ohms standard). down to 5Hz frequency range.
- Unique nine-stage conditioning network in a series parallel configuration, that delivers extremely low-impedance and high-current power. An increase of 20% Differential Mode and 600% Common Mode filtering compared to the original GII Titan. 50% of the 40A Super Titan circuit reconfigured to 20A.
- KERP[©] (Kirchoff's Equal Resistance Path) ensures equal resistance and equal power delivery across all outlets.

- 112,500A of instantaneous protection, featuring IsoTek's unique sequential protection system with earth fault protector.
- Internal wiring; solid core silver plated PCOCC with FEP virtually an air dielectric.
- Two independent outlets deliver 4.600W continuous power with 25.000W transient ability (supply permitting).
- Available with UK, EU, US, Australian, Swiss and South African outlets.
- Supplied with IsoTek EV03 Premier power cable

"There are some upgrades that, once heard, cannot be lived without... I can only congratulate IsoTek on this product. It is nothing short of superb. A very successful upgrade of the GII Titan."


HI-FI WORLD MAGAZINE











The EV03 Sigmas is the bigger brother of our highly respected EV03 Aquarius. Again offering 4 medium power outlets, now rated at 10A and 2 high current 16A, driven by a light version of the Titan's Direct-Coupled® circuit. An extremely cost effective full system upgrade.

- Removes both Common Mode and Differential Mode mains noise.
- RFI reduction 75dB.
- Six unique conditioning stages ensure optimal isolation between all outlets. Two high-current outlets incorporate part of Titan's Direct-Coupled[®] circuit. Four outlets feature IsoTek unique Adaptive Gating[®] circuit, which auto-senses the load.
- KERP® (Kirchoff's Equal Resistance Path) ensures equal resistance and equal power delivery across all outlets.

- LED Display showing voltage and THD distortion of the mains.
- 108,000A of instantaneous protection.
- Internal wiring; solid core silver plated PCOCC with FEP virtually an air dielectric.
- Two high-current outlets delivering 3,680W continuous. Four medium-current outlets delivering 2,300W continuous.
- Available with UK, EU, US, Australian, Swiss and South African outlets.
- Supplied with IsoTek EV03 Premier power cable.

"I was truly impressed and amazed at how much of an improvement the EV03 Sigmas is over the previous model. This product is truly awesome in the effect it has upon a system and can be regarded as an essential purchase."

HI-FI WORLD MAGAZINE

THE SUM IS GREATER

A new series of compact power cleaning systems that deliver cutting edge performance in an elegant half rack width format. Mosaic balances ultimate power conditioning, voltage stabilisation and mains sine wave generation in a series of components that you can select to suit all of your audio or audio-visual system needs.

Create your own clean power solution. Choose from the Mosaic Centuri, innovative voltage stabilisation, or the Mosaic Genesis, a hybrid conditioner combining IsoTek's ultimate sine wave generation as well as high-current circuits.


Add the Mosaic Titan to further increase high-current performance with IsoTek's award-winning Direct-Coupled® technology. Individual pieces that combine to create perfectly arranged solutions – that's IsoTek Mosaic.





EV03 GENESIS ONE






The Genesis One is a state of the art single cell sine wave generation system with extremely low THD. The system can be used to dramatically improve single front-end components. Each cell can be combined / linked together so that only one input wall socket cable is required.

- Removes Common Mode and Differential Mode mains noise.
- Dedicated single outlet delivers totally clean low distortion reconstructed mains sine wave
- Unique single cell mains sine wave generation system exceeding 85dB of noise reduction extending to zero Hz running in class D amplification with a linear power supply.
- Internal wiring; solid core silver plated PCOCC with FEP virtually an air dielectric.
- 100W of totally clean power for all front-end components.
- Available in UK, EU, US, AU, CH and South African outlets.
- Supplied with IsoTek EV03 Premier power cable.

"The ultimate clean power system for individual front end components. Pure mains sine wave generation in a single cell. Combine six units side by side to make a standard rack width component or combine with Titan One for the ultimate bespoke power cleaning solution!"

EVO3 TITAN ONE





The Titan One re-engineers IsoTek's unique multi-award winning Direct-Coupled® technology into a discrete single cell version, offering the ultimate high current, low impedance power conditioner in the smallest form factor possible.

- Removes Common Mode and Differential Mode mains noise.
- Dedicated single outlet delivers a clean high current, low impedance, low distortion mains supply.
- Unique single cell mains cleaning system that reduces RFI by 82dB (50 ohms standard) down to 5Hz frequency range.
- 112,500A of instantaneous protection, featuring IsoTek's unique sequential protection system with earth fault protector.

- Internal wiring; solid core silver plated PCOCC with FEP virtually an air dielectric.
- 3680W of high current clean power for power amplifiers sub woofers etc.
- Available in UK, EU, US, AU, CH and ZA sockets.
- Supplied with IsoTek EV03 Premier power cable.

"The ultimate high current power system for integrated, stereo or mono block power amplifiers. Combine six units side by side to make a standard rack width component, or combine with Genesis One for the ultimate bespoke power cleaning solution!"














The Mosaic Genesis is a hybridised version of IsoTek's Ultimate series. Combining the extremely low THD sine wave generation engine from Genesis and a lighter version of Super Titan's Direct-Coupled[©] conditioning network, it delivers the perfect balance between power and performance.

- Removes both Common Mode and Differential Mode mains noise.
- Medium power: (three outlets provide new sine wave generation) exceeds 85dB of noise reduction, extending to zero Hz. High current: (two outlets) offers extremely lowimpedance and RFI reduction of 75dB (50 ohms standard).
- 99,000A progressive protection circuit.
- Internal wiring; solid core silver plated PCOCC with FEP virtually an air dielectric.
- 150W of totally clean power for front-end components (three outlets) combined with 4600W (230V @ 20A) for large power amplifiers and mono blocks (two outlets). Combining a single cell mains sine wave generator cell from Genesis combined with a light version of the unique Direct-Coupled® conditioning network of Mosaic Titan.
- Available with UK, EU, US, Australian, Swiss and South African outlets.
- Supplied with IsoTek EV03 Premier power cable.

"Perhaps the ultimate hybrid power conditioning system ever created. The Mosaic Genesis offers extremely low THD sine wave generation combined with a lighter version of IsoTek's Direct-Coupled® high-current circuit."

"IsoTek's EVO3 Mosaic Genesis achieves more than a lifetime of tweaking can... It has brought about an improvement of the scale I had not envisaged.

It has made my reference system sound tonally smoother, darker and deeper, with more widescreen presentation thanks to improved width and depth. The bass is cleaner, and a layer of upper midband mush has been stripped away."

HI-FI CHOICE, ENGLAND

"IsoTek's latest development Mosaic Genesis is a full sine wave generation system with amazing warmth, detail and vanishingly low levels of Total Harmonic Distortion"

HIFI REVIEW MAGAZINE, HONG KONG

"Classical, acoustic and vocal lovers will notice a greater delta between Genesis and no Genesis. Everything rendered sounds more organic, more natural as if another barrier has been removed between you and the music. If you've taken your system to 11, this will take it to 12. I guarantee you will be so enthused with the results that it will sell itself."

TONEAUDIO MAGAZINE, AMERICA

"It brings out the best in your system.... IsoTek's EV03 Mosaic Genesis is the perfect game-raiser for small high-performance audio systems, and one that will become harder to live without over time, because our power is not going to get any better. Once heard in action, it's hard to live without. Highly recommended."

HI-FI+, ENGLAND

Is@Tek® | ULTIMATE

EXCEEDING YOUR EXPECTATIONS

Following more than a decade of award-winning excellence, IsoTek has unleashed the Ultimate range – the final word in ultra-high-end power cleaning components. Revolutionary technology and unrivalled expertise have created two cutting-edge solutions able to completely transform the performance of any high-quality audio or AV system.

Super Titan dramatically improves upon the original Titan Direct-Coupled® design circuit. And then there's Genesis: the world's first ultra-low-distortion, multiple mains generator, which creates from a zero point a totally pure re-built mains sine wave.

Whatever your budget, IsoTek delivers the world's best power cleaning solutions for lovers of high quality sound.





ULTIMATE

EV03 SUPER TITAN









Super Titan is the ultimate statement in high-current power conditioning technology, delivering extremely low-impedance, high-current power conditioning for high-end power amplifiers, with a transient ability of 35,500W. Super Titan is the world's most powerful audiophile mains conditioner.

- Removes both Common Mode and Differential Mode mains noise.
- RFI reduction 85dB.
- Independent outlets no outlets are connected together, stopping Differential Mode mains noise cross-contamination.
- Unique conditioning network incorporating a group of four seven-stage filters in a series parallel configuration, delivering extremely low-impedance, high-current power.
- KERP® (Kirchoff's Equal Resistance Path) ensures equal resistance and equal power delivery across all outlets.

- 135,000A of instantaneous protection, featuring IsoTek's unique sequential protection system with earth fault protector.
- Four outlets delivering 7,360W continuous power with 35,500W transient ability.
- Unique ISIS[®] isolation system totally eliminates resonance from the sub-chassis of Super Titan.
- Available with 32A, UK, EU and US outlets.

"What I heard surprised and shocked me – for the first time, I was listening to the music and not the hi-fi."

HI-FI WORLD MAGAZINE

"IsoTek's Super Titan is awesome. We'd say Super Titan will improve the sound of any hi-fi system it's used with. It will allow you to hear exactly how your equipment is performing."

HI-FI CHOICE MAGAZINE



A revolutionary benchmark in clean-power technology for high-performance audio and AV systems, Genesis creates an entirely new, extremely low-distortion mains sine wave using multiple generators – a unique component, and uniquely effective.

- Removes both Common Mode and Differential Mode mains noise.
- Exceeds 85dB of noise reduction, extending down to zero Hz.
- Stabilizes voltage to 230V +/- 2%.
- Independent outlets no outlets are connected together, stopping Differential Mode mains noise cross-contamination.
- 600W of totally clean power for front-end components.

- World's first multiple mains generator.
- Unique ISIS isolation system totally eliminates resonance from the sub-chassis of Genesis
- Available with UK, EU, US sockets.

"The results show (Hi-Fi News Lab Report), overall distortion from the EV03 Genesis is less than a twentieth of that from the mains supply. This, by any measure, is an excellent result."

"There's no doubt that the Genesis can elicit a marked improvement in sound quality."

HI-FI NEWS MAGAZINE

IsOTek® | GET CONNECTED

STRENGTHEN EVERY LINK

IsoTek offers a range of class leading power cables to accompany its range of advanced power conditioners and sine wave generators.

Borne from an ethos of only using the finest grade components

and materials the new EVO3 power cables offer unrivalled performance at every level. All cables feature high purity copper which is then silver plated. Insulation or dielectric is of the highest grade FEP Teflon. Each cable, from the now multi-award winning Premier features solid copper 24ct gold termination.


Unique and innovative material use, forward thinking cable geometries and painstaking attention, EV03 cables will enhance your system further.





EV03 INITIUM





Initium is IsoTek's new entry level power cable designed to offer high quality performance at an extremely fair price. Initium is a must for replacing all of your free standard black plastic power leads which have been designed down to a price not up to a quality.

- 40 strands of 99.9999% OFC form three 2sqmm conductors that offer an a good level of purity and enhanced conductivity. These are set in a parallel construction with slight rotational twist. This established technique remains the first line of defense against RFI and EMI rejection.
- A PE dielectric (insulation) offers chemically inert and low dielectric constant over a wide frequency range.
- Cotton filler gives internal strength and reduces microphone.

- 10mm diameter PVC outer jacket gives a high degree of flexibility and mechanical strength.
- Initium cable is terminated using IsoTek's bespoke moulded connects of solid copper with robust nickel plating.
- 16A rated and available in UK, EU, US, AU & CH to standard C15 IEC termination.
- Standard 1.5M length only. No custom lengths available.

"The cheap black power cables given away free with new electronics are designed down to a price, not up to a quality. Initium represents a cost effective upgrade to improved audio performance."

ISOTEK DESIGN TEAM

EV03 PREMIER
















The Premier uses high quality materials and geometry generally associated with cables costing several times its price. Astonishing performance and value for money, Premier is a compelling reason to replace all of your free standard black plastic power leads.

- 40 Silver plated 99.9999% OFC strands form three 2sqmm conductors that offer an exceptional level of purity with enhanced conductivity. These are set in a parallel construction with slight rotational twist. This established technique remains the first line of defense against RFI and EMI rejection.
- Teflon FEP dielectric (insulation) offers chemically inert and very low dielectric constant over a wide frequency range.
- Cotton filler gives internal strength and reduces microphony.

- 10mm diameter PVC outer jacket gives a high degree of flexibility and mechanical strength.
- Premier cable is terminated using IsoTek's bespoke moulded connects with 24ct gold plated OFC conductors.
- 16A rated and available in UK, EU, US, AU
 & CH to C7, C15, C19 termination options.
- Standard 1.5M length only. No custom lengths available.

"A distinct cleaning up of the sound... more space, lower noise, greater resolution and a much greater sense of musical flow... highly recommended and particularly good value for money."

HI-FI CHOICE


















EV03 Sequel refines the multi-strand geometry of Premier as well as incorporating an active shield. The standard fixed length is also increased by half a meter to two meters.

- 23 Silver plated 99.9999% OFC strands form three 2sqmm conductors that offer an exceptional level of purity with enhanced conductivity. These are set in a parallel construction with slight rotational twist. This established technique remains the first line of defense against RFI and EMI rejection.
- Mylar foil wrap and earthed OFC shield offer the maximum RFI rejection.
- Teflon FEP dielectric (insulation) offers chemically inert and very low dielectric constant over a wide frequency range.
- Cotton filler gives internal strength and reduces microphony.

- 10mm diameter PVC outer jacket gives a high degree of flexibility and mechanical strength.
- Sequel cable is terminated using IsoTek's bespoke moulded connects with 24ct gold plated OFC conductors.
- 16A rated and available in UK, EU, US, AU & CH to C7, C15, C19 termination options.
- Standard 2.0M length, custom lengths available.

"The Sequel is well built and keenly priced and gives source equipment in particular a performance boost."

HI-FI CHOICE MAGAZINE

"A high quality, very robust power cable, something of a lifetime investment. Sonically, the cable enhances nuances and details. A fast and easy way to fine-tune the sound of your system."


LITE MAGAZINE, GERMANY

EV03 ELITE









A true high-end cable, IsoTek's Elite uses unique 7-core geometry, high purity copper, and dielectrics to offer astonishing performance. Double shielding with an active OFC braid dramatically reduces RFI and EMI pollution.

- Seven silver plated 99.99999% OFC conductors, three live, three neutral are set around a central earth. These are set in a parallel construction with slight rotational twist. This established technique remains the first line of defense against RFI and EMI rejection.
- Mylar foil wrap and earthed OFC shield offer the maximum RFI rejection.
- Teflon FEP dielectric (insulation) offers chemically inert and very low dielectric constant over a wide frequency range.
- Cotton filler gives internal strength and reduces microphony.

- 12mm diameter PVC outer jacket gives a high degree of flexibility and mechanical strength.
- Elite cable is terminated using IsoTek's bespoke Audiophile grade connectors of solid OFC with 24ct gold plated conductors. These offer the highest quality performance and are less prone to tarnish.
- 20A rated and available in UK, EU, US, AU to C7, C15, C19 termination options.
- Standard 2.0M length, custom lengths available.

"A top quality cable."

HI-FI WORLD

"The more EVO3 Elite I put in the system, the more music was liberated and conversely, when you take them out, the hitherto fine sound of the system became smaller and tarnished. Impressive stuff."


HI-FI+

EVO3 OPTIMUM









A top of the range power cable that delivers cutting-edge thinking, unique conductor geometries, and the ultimate in copper purity combined with advance material specification. Optimum is IsoTek's most sophisticated power cable to date and capable of delivering astonishing levels of performance.

- Unique silver plated OCC (Ohno Continuous Cast) copper square strands form three 3sqmm conductors that offer an unparalleled level of copper purity. These are set in a parallel construction with slight rotational twist.
- Mylar foil wrap and earthed OFC shield offer the maximum RFI rejection.
- Teflon FEP dielectric (insulation) offers chemically inert and very low dielectric constant over a wide frequency range.
- Cotton filler gives internal strength and reduces microphony.

- 12.5mm diameter PVC outer jacket gives a high degree of flexibility and mechanical strength.
- Optimum cable is terminated using IsoTek's bespoke Audiophile grade connectors of solid OFC with 24ct gold plated conductors. These offer the highest quality performance and are less prone to tarnish.
- 25A rated and available in UK, EU, US, AU versions with C7, C15, C19 and Neutrik terminations.
- Standard 2.0M length, custom lengths available.

"The EVO3 Optimum turns in an extremely impressive performance. The improvement it makes is profound and should leave no one in any doubt about the importance of mains power."

HI-FI CHOICE MAGAZINE

"The EVO3 Sequel is a high quality, very robust power cable, something of a lifetime investment. Sonically, the cable enhances nuances and details. A faster and easier way to fine-tune the sound of your system is scarcely possible."

LITE MAGAZINE, GERMANY

"The IsoTek EV03
Premier power
cable is a bit of a
no-brainer as far as
I am concerned –
the benefits of highend power cable
design, but without
the high price.
Recommended!"

HIFI PIG

"The EVO3 Elite provided a rich, detailed playback with tightened focus giving the frequency more command of the soundstage... a top quality cable."

HI-FI WORLD

"The EV03
Optimum turns
in an extremely
impressive
performance. The
improvement it
makes is profound
and should leave
no one in any
doubt about the
importance of
mains power."

HI-FI CHOICE




IsoTek® | ESSENTIALS

OPTIMISE YOUR SYSTEM

IsoTek has developed a range of performance-enhancing accessories to compliment its power conditioning products, giving further scope to increase the enjoyment you obtain from your system.

Correctly setting up your system will allow you to release the full potential of the high-quality audio electronics you own. To this end, IsoTek has created The Ultimate System Set-Up Disc, a CD designed to aid optimum system set-up and calibration; The Full System Enhancer, a component burn-in and demagnetisation CD; and ProTek, an easy-to-use plug-in device offering class-leading protection against power surges and voltage spikes. A range of high-quality 24ct gold connectors for upgrading existing power cords through retermination is also available.





ESSENTIALS

24CT GOLD AUDIOPHILE GRADE CONNECTORS



HIGH RESOLUTION FULL SYSTEM ENHANCER – 2ND EDITION



IsoTek's range of high-quality 24ct gold connectors will raise the performance of any power cable. All connection surfaces are pure copper, then plated in 24ct gold. The fully detachable main body uses high-quality injection-moulded polycarbonate with an injection-moulded nylon front assembly.

- Accepts cables with external diameter of 4mm to 16mm.
- Accepts conductors up to 6 AWG (4.1mm).
- 24ct gold plated.
- Available in IEC C7, C15, C19, EU Schuko and US 3-Pin.
- Durable high-quality construction.

A variety of tracks featuring specially developed algorithms, which create a unique set of signals to reduce burn-in time and 'run-in' equipment. The disc can also demagnetise audio and audiovisual components.

- Perfect burn-in disc for all new components.
- Full system demagnetisation.
- Dedicated phono stage burn-in track.
- High resolution 24bit music server burn-in track.
- Simple, cost effective solution, which is considered an industry standard.

THE ULTIMATE SYSTEM SET-UP DISC



20 Tracks to help set-up, test and fine-tune your audio system. The CD consists of a mix of music, sounds and voices, incorporating 14 specific test and tune-up tracks alongside carefully selected music from the highly regarded Opus3 music label.

- Channel evaluation.
- Phase test.
- Speaker position and soundstage tests.
- Stereo image depth tests.

- Frequency range tests.
- Six music tracks from Opus3 music label to test your system after calibration.

"I found this disc to be well thought out and practical in the track choices offered. Another must for the toolbox!"

HI-FI WORLD MAGAZINE

"An unusual and useful disc."

HI-FI CHOICE MAGAZINE



The power cleaning specialist

IsoTek's unique technologies win more awards than any similar brand. Opposite is a small selection of accolades from around the world...



"I was truly amazed at how much of an improvement the EV03 Sigmas is over the previous model. This product is truly awesome and can be regarded as an essential purchase."

IsoTek EV03 Sigmas - Hi-Fi World



"I was blown away...
As the results show, overall distortion is less than a twentieth of that from the mains supply – an excellent result."

IsoTek EVO3 Genesis
Hi-Fi News



HH Choice ★★★★★

"The EV03 Optimum turns in an extremely impressive performance. The improvement it makes is profound and should leave no one in any doubt about the importance of mains power."

IsoTek EV03 Optimum

Hi-Fi Choice



"A real buy recommendation for owners of better TV sets or high-quality projectors that still want to tease out the very best image quality." IsoTek EV03 Mini Mira Lite Magazine, Germany



"This power cable is a no-brainer as far as I am concerned – the benefits of high-end power cable design, but without the high price. Recommended!"

IsoTek EV03 Premier - Hifi Pig





"We would not hesitate to suggest the Sirius as an effective upgrade for any system."

IsoTek EVO 3 Sirius - Hi-Fi Choice



HIT Choice

"Your music will sound smoother, cleaner and much more immediate."

IsoTek EV03 Super Titan Hi-Fi Choice



"What I heard surprised and shocked me – for the first time, I was listening to the music and not the hi-fi... Tremendous instrumental separation, drained of distortion... Beautifully built and presented, this is an extremely effective mains conditioning device, worth every penny."

IsoTek EV03 Super Titan



Hi-Fi World

"A distinct lift in overall musical performance." IsoTek EVO3 Sirius – TechRadar



"A top quality cable."

IsoTek EV03 Elite – Hi-Fi World



"I can only congratulate
IsoTek on this product. It is
nothing short of superb."



"Excellent value for money...
A great real-world product that
is useful and inexpensively
upgrades your system."
IsoTek EV03 Sirius – Hi-Fi World



"This product is truly awesome in the effect it has upon a system and can be regarded as an essential purchase." IsoTek EVO3 Sigmas – Hi-Fi World



"Very highly recommended." IsoTek EVO3 Aquarius – Hi-Fi+



"Best Accessory 2013... Combining radical ideas to vault-like build quality, electronic and mechanical noise is eliminated from your system with the Super Titan." IsoTek EY03 Super Titan.

TONEAudio



"In every instance it produced significantly superior results...
You really don't know what any component is capable of if you are just plugging it into the wall."

IsoTek EVO3 Genesis – Hi-Fi+



"A statement product that shows what is possible, setting the standards in mains synthesis... The IsoTek Genesis enables you to hear – really hear – your hir is ysstem, possibly for the very first time." IsoTek EVO3 Genesis – Hi-Fi World



"Accessory of the year 2013."

IsoTek EV03 Genesis – Hi-Fi Voice



HH Choice

"(You hear) more space, lower noise and greater resolution... An increase in timing precision, depth of bass and a much greater sense of musical flow."

IsoTek EV03 Polaris - Hi-Fi Choice



"The Big Daddy of power conditioners... It's like upgrading your whole system."

IsoTek EV03 Super Titan - Hi-Fi+



"The Aquarius is brilliant."

IsoTek EV03 Aquarius

Record Collector



© 2016 Audio Power Systems GmbH. All rights reserved Unauthorised copy or reproduction of any part of this booklet is prohibited and subject to prosecution.

Information contained in this brochure is correct at the time of printing, product improvements will take place from time to time. Block diagrams and cross sectional cut through images are for illustrative purposes only.







